

Package: ipeaplot (via r-universe)

September 2, 2024

Type Package

Title Add Ipea Editorial Standards to 'ggplot2' Graphics

Version 0.4.0.9000

Maintainer Pedro Ferreira <pedro.ferreira2@ipea.gov.br>

Description Convenient functions to create 'ggplot2' graphics following the editorial guidelines of the Institute for Applied Economic Research (Ipea).

License MIT + file LICENSE

URL <https://github.com/ipeadata-lab/ipeaplot>

BugReports <https://github.com/ipeadata-lab/ipeaplot/issues>

Depends R (>= 3.3.2)

Imports checkmate, ggplot2, grDevices, paletteer, scales, rlang, ggthemes

Suggests abjData, data.table, dplyr, forcats, geobr, knitr, patchwork, purrr, reshape, rmarkdown, sf, sysfonts, testthat, tidyr

VignetteBuilder knitr

LazyData true

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.2

Repository <https://ipeadata-lab.r-universe.dev>

RemoteUrl <https://github.com/ipeadata-lab/ipeaplot>

RemoteRef HEAD

RemoteSha 85fa9140405cd774daf7e154d66f9658da141725

Contents

ipeaplot	2
ipea_pal	3
ipea_palette	4
save_eps	5
save_pdf	6
scale_color_ipea	7
scale_fill_ipea	8
theme_ipea	10

Index	12
--------------	-----------

ipeaplot	<i>ipeaplot: ggplot Graphics in Ipea Standard</i>
----------	---------------------------------------------------

Description

Convenient functions to create ggplot graphics following the editorial guidelines of the Institute for Applied Economic Research - Ipea.

Usage

Please check the vignettes and data documentation on the [website](#).

Author(s)

Maintainer: Pedro Ferreira <pedro.ferreira2@ipea.gov.br>

Authors:

- Pedro Jorge <pedro.alves@ipea.gov.br>
- Daniel Lima <daniel.viegas@ipea.gov.br>
- Gustavo Coelho <gustavo.coelho@ipea.gov.br>
- Rafael H. M. Pereira <rafa.pereira.br@gmail.com>
- Lucas Mation <lucas.mation@ipea.gov.br>

Other contributors:

- Fabio Vaz <fabio.vaz@ipea.gov.br> [contributor]
- Ipea - Institue for Applied Economic Research [copyright holder, funder]

See Also

Useful links:

- <https://github.com/ipeadata-lab/ipeaplot>
- Report bugs at <https://github.com/ipeadata-lab/ipeaplot/issues>

ipea_pal

*Ipea palette***Description**

Ipea palette

Usage

```
ipea_pal(
  palette = c("Blue", "Green", "Orange", "Pink", "Green-Blue", "Green-Blue-White",
             "Red-Blue", "Red-Blue-White", "Orange-Blue", "Orange-Blue-White", "Viridis",
             "Inferno", "Magma", "Plasma", "Cividis"),
  alpha = 1,
  begin = 0,
  end = 1,
  palette_direction = 1
)
```

Arguments

palette	A character string indicating the color map option to use. These options are available: 'Blue', 'Green', 'Orange', 'Pink', 'Red-Blue', 'Orange-Blue', 'Green-Blue', 'Viridis', 'Inferno', 'Magma', 'Plasma', 'Cividis'.
alpha	The alpha transparency in a number between 0 and 1.
begin	The (corrected) hue in a number between 0 and 1 at which the color map begins.
end	The (corrected) hue in a number between 0 and 1 at which the color map ends.
palette_direction	Sets the order of colors in the scale. If 1, the default, colors are ordered from darkest to lightest. If -1, the order of colors is reversed.

Value

ipea_palette produces a character vector, cv, containing color hex codes. This vector can be utilized to establish a custom color scheme for future graphics using palette(cv), or it can be applied directly as a col = parameter in graphic functions or within par.

References

'Blue', 'Green', 'Orange', 'Pink', 'Green-Blue', 'Green-Blue-White', 'Red-Blue', 'Red-Blue-White', 'Orange-Blue', 'Orange-Blue-White', 'Viridis', 'Inferno', 'Magma', 'Plasma' and 'Cividis': https://pmassicotte.github.io/paletteer_gallery/

Examples

```
scales::show_col(ipea_pal()(10))
scales::show_col(ipea_pal(palette_direction = -1)(6))
scales::show_col(ipea_pal(begin = 0.2, end = 0.8)(4))
scales::show_col(ipea_pal(palette = "Green")(6))
```

ipea_palette

*Ipea Color Palette and Scales***Description**

This function creates a vector of n equally spaced colors along the selected color map.

Usage

```
ipea_palette(
  palette = c("Blue", "Green", "Orange", "Pink", "Green-Blue", "Green-Blue-White",
    "Red-Blue", "Red-Blue-White", "Orange-Blue", "Orange-Blue-White", "Viridis",
    "Inferno", "Magma", "Plasma", "Cividis"),
  n,
  alpha = 1,
  begin = 0,
  end = 1,
  palette_direction = 1
)
```

Arguments

palette	A character string indicating the color map option to use. These options are available: 'Blue', 'Green', 'Orange', 'Pink', 'Red-Blue', 'Orange-Blue', 'Green-Blue', 'Red-Blue-White', 'Orange-Blue-White', 'Green-Blue-White', 'Viridis', 'Inferno', 'Magma', 'Plasma', 'Cividis'.
n	The number of colors (≥ 1) used in the palette.
alpha	The alpha transparency in a number between 0 and 1.
begin	The (corrected) hue in a number between 0 and 1 at which the color map begins.
end	The (corrected) hue in a number between 0 and 1 at which the color map ends.
palette_direction	Sets the order of colors in the scale. If 1, the default, colors are ordered from darkest to lightest. If -1, the order of colors is reversed.

Details

A 9-color Ipea palette.

Value

ipea_palette produces a character vector, `cv`, containing color hex codes. This vector can be utilized to establish a custom color scheme for future graphics using `palette(cv)`, or it can be applied directly as a `col =` parameter in graphic functions or within `par`.

References

'Blue', 'Green', 'Orange', 'Pink', 'Green-Blue', 'Green-Blue-White', 'Red-Blue', 'Red-Blue-White', 'Orange-Blue', 'Orange-Blue-White', 'Viridis', 'Inferno', 'Magma', 'Plasma' and 'Cividis': https://pmassicotte.github.io/paletteer_gallery/

save_eps	<i>Save the chart in Eps format</i>
----------	-------------------------------------

Description

Convenient function to save charts in Eps format.

Usage

```
save_eps(gplot, file.name, ...)
```

Arguments

gplot	ggplot which will be saved.
file.name	Character. Name of the file which will be generated
...	Additional arguments to be passed to the ggsave function from the ggplot2 package.

Value

An "eps" file

See Also

Other save: [save_pdf\(\)](#)

Examples

```
# Creating theme for ggplot2 graph using default arguments
library(ggplot2)
fig_raw <- ggplot() +
  geom_col(data = mtcars, aes(x = hp , y = mpg, fill = cyl)) +
  theme_ipea()
# Save ggplot output
save_eps(fig_raw, file.name = paste0(tempdir(), "/figura.eps"))
```

save_pdf	<i>Save the chart in PDF format</i>
----------	-------------------------------------

Description

Convenient function to save charts in PDF format.

Usage

```
save_pdf(gplot, file.name, ...)
```

Arguments

gplot	ggplot which will be saved.
file.name	Character. Name of the file which will be generated
...	Additional arguments to be passed to the ggsave function from the ggplot2 package.

Value

An "PDF" file

See Also

Other save: [save_eps\(\)](#)

Examples

```
# Creating theme for ggplot2 graph using default arguments
library(ggplot2)
fig_raw <- ggplot() +
  geom_col(data = mtcars, aes(x = hp , y = mpg, fill = cyl)) +
  theme_ipea()
# Save ggplot output
save_pdf(fig_raw, file.name = paste0(tempdir(), "/figura.pdf"))
```

scale_color_ipea *Scale color IPEA*

Description

Generate a color palette (continuous or discrete) following the editorial guidelines used by the Institute for Applied Economic Research - Ipea.

Usage

```
scale_color_ipea(
  palette = c("Blue", "Green", "Orange", "Pink", "Green-Blue", "Green-Blue-White",
             "Red-Blue", "Red-Blue-White", "Orange-Blue", "Orange-Blue-White", "Viridis",
             "Inferno", "Magma", "Plasma", "Cividis"),
  palette_direction = 1,
  decimal.mark = ",",
  barheight = NULL,
  barwidth = NULL,
  title.hjust = NULL,
  label.hjust = NULL,
  ...
)
```

Arguments

palette	A character vector specifying the available palette for the color palette. The default palette are "Blue", but we can also change to 'Green', 'Orange', 'Pink', 'Red-Blue', 'Orange-Blue', 'Green-Blue', 'Red-Blue-White', 'Orange-Blue-White', 'Green-Blue-White', 'Viridis', 'Inferno', 'Magma', 'Plasma', 'Cividis'.
palette_direction	A logical argument specifying if the ordering of the colors will follow the default of the palette (when the argument is 1) or if it will have an inverted ordering (for cases where it is -1).
decimal.mark	The character to be used to indicate the numeric decimal point and Character used between every 3 digits to separate thousands. By default, the function uses a comma ", ", following the format used in Brazilian Portuguese.
barheight	The height of the color gradient bar. This parameter is used when the direction is set to "horizontal".
barwidth	The width of the color gradient bar. This parameter is used when the direction is set to "horizontal".
title.hjust	A number specifying horizontal justification of the title text.
label.hjust	A number specifying vertical justification of the title text.
...	Additional arguments to be passed to the scale_fill_gradientn, scale_color_gradientn, scale_fill_distiller or scale_color_distiller function from the ggplot2 package.

Value

A list object be added to a ggplot object to change color palette.

See Also

Other ggplot2 theme functions: [scale_fill_ipea\(\)](#), [theme_ipea\(\)](#)

Examples

```
# Creating scale for ggplot2 graph using default arguments
library(ggplot2)
fig_raw <- ggplot() +
  geom_point(data = mtcars, aes(x = hp , y = mpg, color = cyl)) +
  scale_color_ipea()

# Creating scale for ggplot2 graph using green sequential palette
fig_raw <- ggplot() +
  geom_point(data = mtcars, aes(x = hp , y = mpg, color = cyl)) +
  scale_color_ipea(palette = "Green")
```

scale_fill_ipea	<i>Scale fill IPEA</i>
-----------------	------------------------

Description

Generate a fill palette (continuous or discrete) in the formatting of texts published by the Institute for Applied Economic Research (IPEA)

Usage

```
scale_fill_ipea(
  palette = c("Blue", "Green", "Orange", "Pink", "Green-Blue", "Green-Blue-White",
    "Red-Blue", "Red-Blue-White", "Orange-Blue", "Orange-Blue-White", "Viridis",
    "Inferno", "Magma", "Plasma", "Cividis"),
  palette_direction = 1,
  decimal.mark = ",",
  barheight = NULL,
  barwidth = NULL,
  title.hjust = NULL,
  label.hjust = NULL,
  ...
)
```

Arguments

palette	A character vector specifying the available palette for the color palette. The default palette are "Blue", but we can also change to 'Green', 'Orange', 'Pink', 'Red-Blue', 'Orange-Blue', 'Green-Blue', 'Red-Blue-White', 'Orange-Blue-White', 'Green-Blue-White', 'Viridis', 'Inferno', 'Magma', 'Plasma', 'Cividis'.
palette_direction	A logical argument specifying if the ordering of the colors will follow the default of the palette (when the argument is 1) or if it will have an inverted ordering (for cases where it is 0).
decimal.mark	The character to be used to indicate the numeric decimal point and Character used between every 3 digits to separate thousands. By default, the function uses a comma ",", following the format used in Brazilian Portuguese.
barheight	The height of the color gradient bar. This parameter is used when the direction is set to "horizontal".
barwidth	The width of the color gradient bar. This parameter is used when the direction is set to "horizontal".
title.hjust	A number specifying horizontal justification of the title text.
label.hjust	A number specifying vertical justification of the title text.
...	Additional arguments to be passed to the scale_fill_gradientn, scale_color_gradientn, scale_fill_distiller or scale_color_distiller function from the ggplot2 package

Value

A list object be added to a ggplot object to change color pallete.

See Also

Other ggplot2 theme functions: [scale_color_ipea\(\)](#), [theme_ipea\(\)](#)

Examples

```
# Creating scale for ggplot2 graph using default arguments
library(ggplot2)
fig_raw <- ggplot() +
  geom_col(data = mtcars, aes(x = hp , y = mpg, fill = cyl)) +
  scale_fill_ipea()

# Creating scale for ggplot2 graph using green sequential palette
fig_raw <- ggplot() +
  geom_col(data = mtcars, aes(x = hp , y = mpg, fill = cyl)) +
  scale_fill_ipea(palette = "Green")
```

 theme_ipea

Ggplot theme for Ipea charts and figures

Description

Applies a custom theme for ggplot figures following the editorial guidelines used by the Institute for Applied Economic Research - Ipea. The function includes standardized formatting of options for axis lines, text,

Usage

```
theme_ipea(
  axis_lines = "full",
  axis_values = TRUE,
  legend.position = "right",
  grid.adjust = "horizontal",
  x_breaks = NULL,
  y_breaks = NULL,
  expand_x_limit = TRUE,
  expand_y_limit = TRUE,
  x_text_angle = 0,
  include_x_text_title = TRUE,
  include_y_text_title = TRUE,
  include_ticks = TRUE,
  ...
)
```

Arguments

axis_lines	A character vector specifying the axis style. Valid options are "none" (no axis lines), "full" (full-length axis lines), and "half" (half-length axis lines), the default.
axis_values	Logical value indicating whether to show text elements. If TRUE, axis text will be displayed in black; otherwise, they will be hidden.
legend.position	A character vector specifying the position of the legend. Valid options are "right" (default), "left", "top", and "bottom".
grid.adjust	Defines whether the grid lines should be "horizontal" (default) or "vertical".
x_breaks	Numeric. The number of breaks on the x-axis
y_breaks	Numeric. The number of breaks on the y-axis
expand_x_limit	Logical value that indicates whether the x-axis boundary should be expanded. If TRUE, the x-axis limits will be expanded; otherwise there will be no change
expand_y_limit	Logical value that indicates whether the y-axis boundary should be expanded. If TRUE, the x-axis limits will be expanded; otherwise there will be no change
x_text_angle	Numeric. Angle in degrees of the text in the x-axis.

`include_x_text_title` Logical. Whether to include x text title Defaults to TRUE.

`include_y_text_title` Logical. Whether to include x text title. Defaults to TRUE.

`include_ticks` Logical. Whether to include ticks. Defaults to TRUE.

... Additional arguments to be passed to the theme function from the `ggplot2` package.

Value

A custom theme for IPEA graphics.

See Also

Other `ggplot2` theme functions: [scale_color_ipea\(\)](#), [scale_fill_ipea\(\)](#)

Examples

```
# Creating theme for ggplot2 graph using default arguments
library(ggplot2)
fig_raw <- ggplot() +
  geom_col(data = mtcars, aes(x = hp , y = mpg, fill = cyl)) +
  theme_ipea()
```

Index

* **ggplot2** theme functions

scale_color_ipea, [7](#)

scale_fill_ipea, [8](#)

theme_ipea, [10](#)

* **save**

save_eps, [5](#)

save_pdf, [6](#)

ipea_pal, [3](#)

ipea_palette, [4](#)

ipeaplot, [2](#)

ipeaplot-package (ipeaplot), [2](#)

save_eps, [5](#), [6](#)

save_pdf, [5](#), [6](#)

scale_color_ipea, [7](#), [9](#), [11](#)

scale_fill_ipea, [8](#), [8](#), [11](#)

theme_ipea, [8](#), [9](#), [10](#)